

Figure 1




Figure 2




Figure 3

Drawing Sheet 4 of 9

| | | | |
|-------------------------|---------------------------------------|--------------------------|-----------------|
| Title: | Method For Entitling A User Interface | | |
| Inventor(s): | Scott Musson, et al. | | |
| Application No.: | Not Yet Assigned | Attorney: | Daniel J. Burns |
| Docket No.: | BEAS-01374US1 | Telephone No.: | (415) 362-3800 |
| Filing date: | Filed Herewith | Express Mail No.: | EV327621960US |




Figure 4




Figure 5

Drawing Sheet 6 of 9

Title: Method For Entitling A User Interface
Inventor(s): Scott Musson, et al.
Application No.: Not Yet Assigned
Docket No.: BEAS-01374US1
Filing date: Filed Herewith

Attorney: Daniel J. Burns
Telephone No.: (415) 362-3800
Express Mail No.: EV327621960US




Figure 6




Figure 7

Drawing Sheet 8 of 9

| | | | |
|-------------------------|---------------------------------------|--------------------------|-----------------|
| Title: | Method For Entitling A User Interface | | |
| Inventor(s): | Scott Musson, et al. | | |
| Application No.: | Not Yet Assigned | Attorney: | Daniel J. Burns |
| Docket No.: | BEAS-01374US1 | Telephone No.: | (415) 362-3800 |
| Filing date: | Filed Herewith | Express Mail No.: | EV327621960US |




Figure 8


```

<%@page
import="com.bea.netuix.servlets.controls.window.WindowPresentationContext,com.bea.netu
ix.servlets.controls.window.TitlebarContext"
%>
<%@ taglib uri="render.tld" prefix="render" %>
<% WindowPresentationContext window =
WindowPresentationContext.getWindowPresentationContext(request);
TitlebarContext titlebar
= (TitlebarContext) window.getFirstChild("window:titlebar");
String expandWidth = "100%";
%>

<render:beginRender>
<div
  <render:writeAttribute name="id" value="<%= window.getPresentationId() %>"/>
  <render:writeAttribute name="class" value="<%= window.getPresentationClass() %>"
    default="bea-portal-window"/>
  <render:writeAttribute name="style" value="<%= window.getPresentationStyle() %>"/>
  <render:writeAttribute name="width"
    value="<%= window.isPacked() ? null : expandWidth %>"/>
  >
  <% if (titlebar != null) { %>
    <render:renderChild presentationContext="<%= titlebar %>"/>
  <% } %>
  <div class="bea-portal-window-content">
</render:beginRender>
<render:endRender>
  </div>
</div>
</render:endRender>

```

Figure 9